

Health Center HIS Monthly Report (HC1)

From 01 to the last day of the month of Year

Health Center: Population covered: OD: Province:

Outpatient consultation section (OPD)

I. Outpatient Consultation (OPD)

| 1. Quantity of Activity (By zone) | Zone A | Zone B | Zone C | Total | M | F |
|-----------------------------------|--------|--------|--------|-------|---|---|
| New Cases of OPD | | | | | | |
| Total Cases of OPD | | | | | | |

Zone A: Village where health facility is located

Zone B: Villages are in coverage area of health facility

Zone C: Villages are outside the coverage area

| 2. Health problems (new cases) | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | |
|--------------------------------|------------------------------------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| 1. General Medicine | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Cholera | A00 | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Unspecified Cholera | A00.9 | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Typhoid Fever | A01 | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Amoebiasis | A06 | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Diarrhea without dehydration | A09 | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Diarrhea with moderate dehydration | A09.1 | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Diarrhea with severe dehydration | A09.2 | | | | | | | | | | | | | | | | | | | | | | |
| 8 | Neonatal tetanus | A33 | | | | | | | | | | | | | | | | | | | | | | |
| 9 | Other tetanus | A35 | | | | | | | | | | | | | | | | | | | | | | |
| 10 | Diphtheria | A36 | | | | | | | | | | | | | | | | | | | | | | |
| 11 | Whooping cough | A37.1 | | | | | | | | | | | | | | | | | | | | | | |
| 12 | Sepsis, unspecified organism | A41.9 | | | | | | | | | | | | | | | | | | | | | | |
| 13 | Acute poliomyelitis | A80 | | | | | | | | | | | | | | | | | | | | | | |
| 14 | Rabies | A82 | | | | | | | | | | | | | | | | | | | | | | |
| 15 | Measles | B05 | | | | | | | | | | | | | | | | | | | | | | |
| 16 | Schistosomiasis | B65 | | | | | | | | | | | | | | | | | | | | | | |
| 17 | Anemia, unspecified | D64.9 | | | | | | | | | | | | | | | | | | | | | | |
| 18 | Hypoglycemia, unspecified | E16.2 | | | | | | | | | | | | | | | | | | | | | | |
| 19 | Meningitis, unspecified | G03.9 | | | | | | | | | | | | | | | | | | | | | | |
| 20 | Epilepsy, unspecified | G40.9 | | | | | | | | | | | | | | | | | | | | | | |
| 21 | Unspecified heart failure | I50.9 | | | | | | | | | | | | | | | | | | | | | | |
| 22 | Angina pectoris | I20 | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | | |
|---------------------------------|--|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| 23 | Acute myocardial infarction | I21 | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | Cerebral infarction | I63 | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | Peptic ulcer, site unspecified | K27 | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | Acute gastritis | K29.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 27 | Unspecified chronic gastritis | K29.5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 | Cirrhosis | k74.6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 | Cholecystitis | K81 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | Arthritis, unspecified | M13.99 | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | Unspecified osteoporosis | M81.99 | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | Nephritic syndrome | N05.9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 | Renal colic | N23 | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | Unspecified jaundice | R17 | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 | Ascites | R18 | | | | | | | | | | | | | | | | | | | | | | | | |
| 36 | Poisoning by medicaments | T50 | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 | Food intoxication | T61 | | | | | | | | | | | | | | | | | | | | | | | | |
| 38 | Snake venom | T63.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 39 | Toxic effect of other and unspecified substances | T65 | | | | | | | | | | | | | | | | | | | | | | | | |
| 40 | Toxic effect of pesticides | T60 | | | | | | | | | | | | | | | | | | | | | | | | |
| 41 | Other general diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. Communicable Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | Sexually Transmitted Diseases | A64 | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | Dengue fever without shock | A91 | | | | | | | | | | | | | | | | | | | | | | | | |
| 44 | Dengue fever with shock | A91.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | Unspecified dengue | A91.2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | Approximate dengue | A91.3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | Chikungunya virus disease | A92.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | Approximate Chikungunya | A92.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | Hand, foot and mouth disease | B08.4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | Hepatitis A | B15 | | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | Hepatitis B | B16 | | | | | | | | | | | | | | | | | | | | | | | | |
| 52 | Hepatitis C | B17.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 53 | AIDS | B20 | | | | | | | | | | | | | | | | | | | | | | | | |
| 54 | Malaria | B50 | | | | | | | | | | | | | | | | | | | | | | | | |
| 55 | Severe malaria | B50.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 56 | Influenza | J09.0 | | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | | |
|-------------------------------------|---|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| 57 | Swine flu | J09.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | Other infectious diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. Tuberculosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59 | Tuberculosis of lung | A15.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 | Tuberculous pleurisy | A15.6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 61 | Other respiratory tuberculosis | A15.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 62 | Respiratory tuberculosis unspecified | A15.9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 63 | Tuberculous meningitis | A17.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 64 | Other tuberculosis of nervous system | A17.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 65 | Tuberculosis of other bones | A18.03 | | | | | | | | | | | | | | | | | | | | | | | | |
| 66 | Tuberculous peritonitis | A18.31 | | | | | | | | | | | | | | | | | | | | | | | | |
| 67 | TB of other specified organs | A18.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 68 | Miliary TB | A19 | | | | | | | | | | | | | | | | | | | | | | | | |
| 69 | Leprosy, unspecified | A30.9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 | Mycobacterium other than tuberculosis (MOTT) pulmonary | A31.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 71 | MDR (multiple drug resistance) TB confirmed by culture | U50.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Non-Communicable Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72 | Diabetes 1 | E10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 73 | Diabetes 2 | E11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 74 | Severe acute malnutrition (SAM) with nutritional oedema | E40 | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 | SAM with clinical signs | E41 | | | | | | | | | | | | | | | | | | | | | | | | |
| 76 | SAM - weight for height Z score < -3 SD | E43 | | | | | | | | | | | | | | | | | | | | | | | | |
| 77 | Mild acute malnutrition - weight for height Z score -1 to -2 Standard Deviation | E44.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 78 | Moderate acute malnutrition - weight for height Z score -2 to -3 SD | E44.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 79 | Harmful use of addicted substances | F11.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 | Secondary hypertension | I10.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 81 | Primary hypertension | I10.9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 82 | Sequelae of cerebrovascular disease | I69 | | | | | | | | | | | | | | | | | | | | | | | | |
| 83 | Pregnant women with hypertension | O24.4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 84 | Focal traumatic brain injury | S06.3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 85 | Other injuries (not traffic and mine) | T14.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 86 | Traffic accidents (no brain injury) | V87 | | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | | |
|--------------------------------|--|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| 87 | Injury by unexploded ordnance (UXO) | Y38 | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | Injury by mine | Y92.64 | | | | | | | | | | | | | | | | | | | | | | | | |
| 89 | Other NCDs | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5. Mental Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 90 | Dementia, all kinds | F00 | | | | | | | | | | | | | | | | | | | | | | | | |
| 91 | Delirium, not induced by alcohol and other psychoactive substances | F05 | | | | | | | | | | | | | | | | | | | | | | | | |
| 92 | Mental & behavioral disorders, alcohol | F10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 93 | Mental & behavioral disorders, opioids | F11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 94 | Mental & behavioral disorders, cannabinoids | F12 | | | | | | | | | | | | | | | | | | | | | | | | |
| 95 | Mental & behavioral disorder, sedatives or hypnotics | F13 | | | | | | | | | | | | | | | | | | | | | | | | |
| 96 | Mental & behavioral disorders, other stimulants | F15 | | | | | | | | | | | | | | | | | | | | | | | | |
| 97 | Mental & behavioral disorders, tobacco | F17 | | | | | | | | | | | | | | | | | | | | | | | | |
| 98 | Schizophrenia | F20 | | | | | | | | | | | | | | | | | | | | | | | | |
| 99 | Acute and transient psychotic disorders | F23 | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | Manic episode | F30 | | | | | | | | | | | | | | | | | | | | | | | | |
| 101 | Bipolar affective disorder | F31 | | | | | | | | | | | | | | | | | | | | | | | | |
| 102 | Depressive episode | F32 | | | | | | | | | | | | | | | | | | | | | | | | |
| 103 | Phobic anxiety disorders | F40 | | | | | | | | | | | | | | | | | | | | | | | | |
| 104 | Panic disorder | F41.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 105 | Generalized anxiety disorder | F41.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 106 | Post traumatic stress disorder | F43.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 107 | Adjustment disorder | F43.2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 108 | Somatoform disorder | F45 | | | | | | | | | | | | | | | | | | | | | | | | |
| 109 | Nonorganic sleep disorder | F51 | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | Mental retardation (mild to severe), all kinds | F70 | | | | | | | | | | | | | | | | | | | | | | | | |
| 111 | Pervasive developmental disorders | F84 | | | | | | | | | | | | | | | | | | | | | | | | |
| 112 | Hyperkinetic disorders | F90 | | | | | | | | | | | | | | | | | | | | | | | | |
| 113 | Conduct disorders | F91 | | | | | | | | | | | | | | | | | | | | | | | | |
| 114 | Nonorganic enuresis | F98.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 115 | Nonorganic encopresis | F98.1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 116 | Mental disorders, unspecified | F99 | | | | | | | | | | | | | | | | | | | | | | | | |
| 117 | Epilepsy | G40 | | | | | | | | | | | | | | | | | | | | | | | | |
| 118 | Intentional self-harm, all kinds | X60 | | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | |
|----------------------------------|--|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| 6. Gynecological Diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 119 | Genital Warts | B07 | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | Other viral genital infection | B08 | | | | | | | | | | | | | | | | | | | | | | | |
| 121 | Solitary cyst of breast | N60.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 122 | Acute salpingitis | N71.01 | | | | | | | | | | | | | | | | | | | | | | | |
| 123 | Inflammatory disease of cervix uteri | N72 | | | | | | | | | | | | | | | | | | | | | | | |
| 124 | Inflammation of vulva vagina | N76 | | | | | | | | | | | | | | | | | | | | | | | |
| 125 | Uterus vaginal prolapses | N81.4 | | | | | | | | | | | | | | | | | | | | | | | |
| 126 | Genital fistula | N82 | | | | | | | | | | | | | | | | | | | | | | | |
| 127 | Non-inflammatory disorders of ovary, fallopian tube and broad ligament | N83 | | | | | | | | | | | | | | | | | | | | | | | |
| 128 | Ovarian cyst | N83.29 | | | | | | | | | | | | | | | | | | | | | | | |
| 129 | Haematosalpinx | N83.6 | | | | | | | | | | | | | | | | | | | | | | | |
| 130 | Vaginal discharge | N89.8 | | | | | | | | | | | | | | | | | | | | | | | |
| 131 | Irregular menstruation | N92.6 | | | | | | | | | | | | | | | | | | | | | | | |
| 132 | Pain during menstruation | N94.6 | | | | | | | | | | | | | | | | | | | | | | | |
| 133 | Spontaneous abortion | O03 | | | | | | | | | | | | | | | | | | | | | | | |
| 134 | Induced abortion | O04 | | | | | | | | | | | | | | | | | | | | | | | |
| 135 | Other gynecological disease | | | | | | | | | | | | | | | | | | | | | | | | |
| 7. Obstetrical Diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 136 | Ectopic Pregnancy | O00 | | | | | | | | | | | | | | | | | | | | | | | |
| 137 | Hydatidiform mole | O01 | | | | | | | | | | | | | | | | | | | | | | | |
| 138 | Early fetal death (pregnancy < 26 weeks) | O02.1 | | | | | | | | | | | | | | | | | | | | | | | |
| 139 | Gestational oedema | O12.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 140 | Gestational Hypertension | O13 | | | | | | | | | | | | | | | | | | | | | | | |
| 141 | Mild to moderate pre-eclampsia | O14.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 142 | Severe pre-eclampsia | O14.1 | | | | | | | | | | | | | | | | | | | | | | | |
| 143 | Eclampsia | O15 | | | | | | | | | | | | | | | | | | | | | | | |
| 144 | Hemorrhage during pregnancy (< 20 weeks) | O20 | | | | | | | | | | | | | | | | | | | | | | | |
| 145 | Excessive vomiting during pregnancy | O21 | | | | | | | | | | | | | | | | | | | | | | | |
| 146 | Placental disorders | O43 | | | | | | | | | | | | | | | | | | | | | | | |
| 147 | Placenta accreta | O43.21 | | | | | | | | | | | | | | | | | | | | | | | |
| 148 | Placenta percreta | O43.23 | | | | | | | | | | | | | | | | | | | | | | | |
| 149 | Placenta previa | O44 | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | Abruption Placenta | O45 | | | | | | | | | | | | | | | | | | | | | | | |
| 151 | Prolapses of cord | O69.0 | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | |
|-----------------------------------|---|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| 152 | Post partum hemorrhage | O72 | | | | | | | | | | | | | | | | | | | | | | | |
| 153 | Retained placenta | O73 | | | | | | | | | | | | | | | | | | | | | | | |
| 154 | Puerperal sepsis | O85 | | | | | | | | | | | | | | | | | | | | | | | |
| 155 | Puerperal anemia | O90.81 | | | | | | | | | | | | | | | | | | | | | | | |
| 156 | Anemia during pregnancy | O99.01 | | | | | | | | | | | | | | | | | | | | | | | |
| 157 | Other obstetric disease | | | | | | | | | | | | | | | | | | | | | | | | |
| 8. Respiratory Diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 158 | Acute upper respiratory infection | J06.9 | | | | | | | | | | | | | | | | | | | | | | | |
| 159 | Pneumonia | J18.9 | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | Acute bronchitis | J20 | | | | | | | | | | | | | | | | | | | | | | | |
| 161 | Acute bronchiolitis | J21 | | | | | | | | | | | | | | | | | | | | | | | |
| 162 | Other acute lower respiratory infection | J22 | | | | | | | | | | | | | | | | | | | | | | | |
| 163 | Emphysema | J43 | | | | | | | | | | | | | | | | | | | | | | | |
| 164 | Asthma | J45 | | | | | | | | | | | | | | | | | | | | | | | |
| 165 | Bronchiectasis | J47 | | | | | | | | | | | | | | | | | | | | | | | |
| 166 | Acute pulmonary edema | J81.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 167 | Chronic pulmonary edema | J81.1 | | | | | | | | | | | | | | | | | | | | | | | |
| 168 | Lung abscess | J85 | | | | | | | | | | | | | | | | | | | | | | | |
| 169 | Pyothorax | J86 | | | | | | | | | | | | | | | | | | | | | | | |
| 170 | Pleural effusion | J90 | | | | | | | | | | | | | | | | | | | | | | | |
| 171 | Acute respiratory failure | J96.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 172 | Chronic respiratory failure | J96.1 | | | | | | | | | | | | | | | | | | | | | | | |
| 173 | Atelectasis | J98.11 | | | | | | | | | | | | | | | | | | | | | | | |
| 174 | Hemoptysis | R04.2 | | | | | | | | | | | | | | | | | | | | | | | |
| 175 | Cough > 2 weeks | R05 | | | | | | | | | | | | | | | | | | | | | | | |
| 176 | Dyspnea | R06.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 177 | Other respiratory diseases | | | | | | | | | | | | | | | | | | | | | | | | |
| 9. Dermatological Diseases | | | | | | | | | | | | | | | | | | | | | | | | | |
| 178 | Scabies | B86 | | | | | | | | | | | | | | | | | | | | | | | |
| 179 | Impetigo | L01 | | | | | | | | | | | | | | | | | | | | | | | |
| 180 | Carbuncle of face | L02.03 | | | | | | | | | | | | | | | | | | | | | | | |
| 181 | Atopic dermatitis | L20 | | | | | | | | | | | | | | | | | | | | | | | |
| 182 | Seborrhoeic dermatitis | L21 | | | | | | | | | | | | | | | | | | | | | | | |
| 183 | Exfoliative dermatitis | L26 | | | | | | | | | | | | | | | | | | | | | | | |
| 184 | Pruritus | L29 | | | | | | | | | | | | | | | | | | | | | | | |
| 185 | Psoriasis | L40 | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | | | | |
|--------------------------------------|---|--------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|--|--|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| 186 | Urticaria | L50 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 187 | Erythema multiform | L51 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 188 | Sunburn | L55 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 189 | Radiodermatitis | L58 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190 | Acne | L70 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 191 | Rosacea | L71 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 192 | Other dermatological disease | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10. Dental Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 193 | Supernumerary teeth | K00.1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 194 | Embedded and impacted teeth | K01 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 195 | Dental caries | K02 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 196 | Other diseases of hard tissues of teeth | K03 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 197 | Cracked tooth | K03.81 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 198 | Acute gingivitis | K05.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199 | Chronic gingivitis | K05.1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200 | Other teeth/mouth disease | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11. Ophthalmological Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 201 | Trachoma | A71 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 202 | Abscess of eyelid | H00.03 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 203 | Chalazion | H00.1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 204 | Blepharitis | H01.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 205 | Trichiasis | H02.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 206 | Lagophthalmos | H02.2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 207 | Ptosis of eyelid | H02.4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 208 | Xanthelasma of eyelid | H02.6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 209 | Cysts of eyelid | H02.82 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 210 | Dermatochalasis of eyelid | H02.83 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 211 | Dacryoadenitis | H04.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 212 | Dry eye syndrome | H04.12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 213 | Lacrimal cyst | H04.13 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 214 | Epiphora | H04.2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 215 | Acute dacryocystitis | H04.32 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 216 | Chronic dacryocystitis | H04.41 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 217 | Cyst of orbit | H05.81 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 218 | Conjunctivitis | H10 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 219 | Pterygium of eye | H11.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| 2. Health problems (new cases) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | Referred to | | Using HEF | | |
|--------------------------------|----------------------|-------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|-------------|---|-----------|---|--|
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| 220 | Keratitis | H16 | | | | | | | | | | | | | | | | | | | | | | | |
| 221 | Corneal ulcer | H16.0 | | | | | | | | | | | | | | | | | | | | | | | |
| 222 | Uveitis | H20.8 | | | | | | | | | | | | | | | | | | | | | | | |
| 223 | Age related cataract | H25 | | | | | | | | | | | | | | | | | | | | | | | |
| 224 | Other Cataract | H26 | | | | | | | | | | | | | | | | | | | | | | | |
| 225 | Glaucoma | H40 | | | | | | | | | | | | | | | | | | | | | | | |
| 226 | Other eyes disease | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | | | | | | | | | | |

Inpatient section (IPD)

II - Hospitalization (IPD)

| Discharged Diagnosis (TD = Total Discharges) | | ICD10 | 0-28 days | | 29 days-11 months | | 1-4 years | | 5 - 14 years | | 15 - 24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | | | Referred to | | Using HEF | | |
|---|------------------------------------|--------|-----------|---|-------------------|---|-----------|---|--------------|---|---------------|---|-------------|---|-------------|---|------------|---|-------|---|--------|---|-------------|---|-----------|---|---|
| | | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | Total | | Total | | |
| | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M |
| 1. General medicine | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Cholera | A00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Unspecified Cholera | A00.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Typhoid Fever | A01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Amoebiasis | A06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Diarrhea without dehydration | A09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Diarrhea with moderate dehydration | A09.1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Diarrhea with severe dehydration | A09.2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | Neonatal tetanus | A33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | Other tetanus | A35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | Diphtheria | A36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | Whooping cough | A37.1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | Sepsis, unspecified organism | A41.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | Acute poliomyelitis | A80 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 | Rabies | A82 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | Measles | B05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | Schistosomiasis | B65 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | Anemia, unspecified | D64.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18 | Hypoglycemia, unspecified | E16.2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | Meningitis, unspecified | G03.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | Epilepsy, unspecified | G40.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21 | Unspecified heart failure | I50.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | Angina pectoris | I20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | Acute myocardial infarction | I21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | Cerebral infarction | I63 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | Peptic ulcer, site unspecified | K27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | Acute gastritis | K29.1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27 | Unspecified chronic gastritis | K29.5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 | Cirrhosis | k74.6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 | Cholecystitis | K81 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | Arthritis, unspecified | M13.99 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | Unspecified osteoporosis | M81.99 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | Nephritic syndrome | N05.9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 | Renal colic | N23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | Unspecified jaundice | R17 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35 | Ascites | R18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36 | Poisoning by medicaments | T50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 | Food intoxication | T61 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38 | Snake venom | T63.0 | | | | | | | | | | | | | | | | | | | | | | | | | |

| Discharged Diagnosis (TD = Total Discharges) | ICD10 | 0-28 days | | | | 29 days-11 months | | | | 1-4 years | | | | 5 - 14 years | | | | 15 - 24 years | | | | 25-49 years | | | | 50-64 years | | | | ≥ 65 years | | | | Total | | | | Referred to | | Using HEF | |
|---|--------------------|-----------|---|--------|---|-------------------|---|--------|---|-----------|---|--------|---|--------------|---|--------|---|---------------|---|--------|---|-------------|---|--------|---|-------------|---|--------|---|------------|---|--------|---|-------|---|-------|---|-------------|--|-----------|--|
| | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | TD | | Deaths | | Total | | Total | | | | | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| 231 | Conjunctival edema | H1142 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 232 | Keratitis | H16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 233 | Corneal ulcer | H16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 234 | Corneal abscess | H16.31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 235 | Other Cataract | H26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 236 | Glaucoma | H40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 237 | Other eyes disease | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

General activity report

III. EVALUATION OF ACTIVITIES

1. For Health Centers with beds

| | # of Beds | Authorized Discharges | Unauthorized Discharges | Referred | Deaths | Maternal deaths | Mortality rate (1) | EHD (Effective Hospitalization Day) | ASL (2) | BOR (3) |
|-----------------------|-----------|-----------------------|-------------------------|----------|--------|-----------------|--------------------|-------------------------------------|---------|---------|
| Services excluding TB | | | | | | | | | | |
| TB | | | | | | | | | | |

(1) HMR (Hospital Mortality Rate) = (# of Deaths / Total Discharges) x 100

(2) ALS (Average Length of Stay) = # of EHD / Total Discharges

(3) BOR (Bed Occupancy Rate) = (# of EHD x 100) / (# of Beds x Days # of Month)

Total Discharges (Authorized Discharges , Unauthorized Discharges , Referred , Deaths)

2. For Health Centers with and without beds

| HC activity report | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | |
|---|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|---|--|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Total new cases of children received IMCI | | | | | | | | | | | | | | | | | | | |
| Total cases of children received IMCI | | | | | | | | | | | | | | | | | | | |
| Number of pregnant women attending OPD | | | | | | | | | | | | | | | | | | | |
| Number of pregnant women with Malaria | | | | | | | | | | | | | | | | | | | |
| Number of pregnant women screened for TB | | | | | | | | | | | | | | | | | | | |
| Number of children assessed nutrition (weight for age) at OPD | | | | | | | | | | | | | | | | | | | |
| Number of children with a weight for height Z score < -3 SD identified at OPD | | | | | | | | | | | | | | | | | | | |
| Number of children attending OPD | | | | | | | | | | | | | | | | | | | |
| Diabetic type 1 (new cases) | | | | | | | | | | | | | | | | | | | |
| Diabetic type 1 (total cases) | | | | | | | | | | | | | | | | | | | |
| Diabetic type 2 (new cases) | | | | | | | | | | | | | | | | | | | |
| Diabetic type 2 (total cases) | | | | | | | | | | | | | | | | | | | |
| Malaria cases treated by Village Malaria Workers | | | | | | | | | | | | | | | | | | | |

IMCI = Integrated Management of Childhood Illness

3. Health Care Financing Activities

| | OPD | | IPD | | Deliveries | ANC | PNC | Birth Spacing | | Total | |
|---|-----|---|-----|---|------------|-----|-----|---------------|---|-------|---|
| | M | F | M | F | | | | M | F | M | F |
| Self-paid patients | | | | | | | | | | | |
| HEF paid patients | | | | | | | | | | | |
| CBHI paid patients | | | | | | | | | | | |
| Voucher patients | | | | | | | | | | | |
| National Social Security Fund paid patients | | | | | | | | | | | |
| Exemption patients | | | | | | | | | | | |

Laboratory section

IV. LABORATORY ACTIVITIES (For Health Centers with Laboratory)

1. Volume of Laboratory Activities

| BK | | # of tested | | | | | | | Other examinations | # of Positive | | | | | | | | | |
|--------|---------|-------------|----------|------------|-------------|-------|-------|-------------------|--------------------|---------------|---------|------------|-------------|---------|-------|---------|------------|--|--|
| | | Blood count | Glycemia | VDRL / RPR | TPPA / TPHA | Urine | Stool | Vaginal discharge | | ** BK+ | | VDRL / RPR | TPPA / TPHA | Stool | | | | | |
| Detect | Control | | | | | | | | | Detect | Control | | | Ascaris | Tania | Armoeba | Shistosoma | | |
| | | | | | | | | | | | | | | | | | | | |

* BK : Total slides examined, including slides controlled, ** BK+ : Slide diagnosis of new cases

VDRL/RPR : Venereal Disease Research Laboratory / RPR : Rapid Plasma Reagent ; TPPA / TPHA : Treponema Palidum Partical Agglutination

2. Malaria

2.1. Slides (at Health Facility)

| Slide Diagnosis | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | | | |
|-----------------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|--------------------------------|-----|---------|---------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| Positive | | | | | | | | | | | | | | | | | (1) | (2) | | |
| Falciparum | | | | | | | | | | | | | | | | | | | | |
| Vivax | | | | | | | | | | | | | | | | | | | | |
| Mixed | | | | | | | | | | | | | | | | | | | | |
| Negative | | | | | | | | | | | | | | | | | (3) | (4) | | |
| | | | | | | | | | | | | | | | | | Total Slides Controlled | | (5) | (6) |
| | | | | | | | | | | | | | | | | | Total Slides Examined | | (1+3+5) | (2+4+6) |

2.2. Dipsticks

| Dipsticks Diagnosis | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | |
|------------------------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|-------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Positive | | | | | | | | | | | | | | | | | (1) | (2) |
| Falciparum | | | | | | | | | | | | | | | | | | |
| Vivax | | | | | | | | | | | | | | | | | | |
| Mixed | | | | | | | | | | | | | | | | | | |
| Negative | | | | | | | | | | | | | | | | | (3) | (4) |
| Total dipsticks | | | | | | | | | | | | | | | | | (1+3) | (2+4) |

2.3. Dipsticks by VMW

| Dipsticks Diagnosis | 0-28 days | | 29 days-11 months | | 1-4 years | | 5-14 years | | 15-24 years | | 25-49 years | | 50-64 years | | ≥ 65 years | | Total | |
|------------------------|-----------|---|-------------------|---|-----------|---|------------|---|-------------|---|-------------|---|-------------|---|------------|---|-------|-------|
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| Positive | | | | | | | | | | | | | | | | | (1) | (2) |
| Falciparum | | | | | | | | | | | | | | | | | | |
| Vivax | | | | | | | | | | | | | | | | | | |
| Mixed | | | | | | | | | | | | | | | | | | |
| Negative | | | | | | | | | | | | | | | | | (3) | (4) |
| Total dipsticks | | | | | | | | | | | | | | | | | (1+3) | (2+4) |

Maternal and Child Health Section

V. ANTENAL CARE (ANC) AND DELIVERY

1. Antenatal Care and Detection of Pregnancies at Risk

| | ANC 1 | | | ANC 2 | | | ANC 3 | | | ANC 4 | | | ANC 5 and 5+ | Total ANC (1+2+3+4+5+...) | Refer from | Pregnancies at risk detected | | | Number of pregnant women who knew their HIV status | | Number of pregnant women who have their blood tested for HIV and received their test result | | |
|---------------|-----------|-----------|-------|-----------|-----------|-------|-----------|-----------|-------|-----------|-----------|-------|--------------|---------------------------|------------|------------------------------|--------|--------|--|----------|---|--------------------------|--------------------|
| | < 20 Yrs. | ≥ 20 Yrs. | Total | < 20 Yrs. | ≥ 20 Yrs. | Total | < 20 Yrs. | ≥ 20 Yrs. | Total | < 20 Yrs. | ≥ 20 Yrs. | Total | | | | Bleeding | Anemia | Others | Total | Positive | Total | Reaction with rapid test | (+) Confirmed test |
| Health Center | | | | | | | | | | | | | | | | | | | | | | | |
| Community | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | | | | | | | | |

| | Number of HIV (+) pregnant women who received ART | Number of pregnant women who have their blood tested for syphilis and received their test result | | Number of pregnant women who have their blood tested for Hemoglobin | | | Number of pregnant women who have their urine tested for albumin | | Number of pregnant women who have their urines tested for sugar | | Number of pregnant women with suspected malaria | | | | Refer to | | | | | | | | |
|---------------|---|--|----------|---|----------|-------------|--|----------|---|----------|---|----------|-----------|----------|----------|--|--|--|--|--|--|--|--|
| | | Total | Positive | Total | < 7 g/dl | 7 - 11 g/dl | Total | Positive | Total | Positive | Slides | | Dipsticks | | | | | | | | | | |
| | | | | | | | | | | | Total | Positive | Total | Positive | | | | | | | | | |
| Health Center | | | | | | | | | | | | | | | | | | | | | | | |

2. Health Center delivery

| | Oxytocin Injection | Total | | | Referred from | Referred to | Maternal death |
|-------------------------------|---------------------------|-----------|-----------|-------|---------------|-------------|----------------|
| | | < 20 Yrs. | ≥ 20 Yrs. | Total | | | |
| Normal Delivery | | | | | | | |
| Complicated delivery (mother) | Preterm delivery | | | | | | |
| | Bleeding | | | | | | |
| | None-severe pre-eclampsia | | | | | | |
| | Severe pre-eclampsia | | | | | | |
| | Eclampsia | | | | | | |
| | Uterus rupture | | | | | | |
| | Septicemia | | | | | | |
| | Ventouses | | | | | | |
| | Other assisted delivery | | | | | | |
| | Other causes | | | | | | |
| | Total | | | | | | |
| Complication of infants | | | | | | | |

| | Number of mother who knew their HIV status | | Number of mother who have their blood tested for HIV and received their test result during delivery | | | Number of mother received *ARV | | Infant with HIV (+) | | Referred to | | Direct contact with mother | Breastfeed within the first hour after birth | Baby breathes within the first minute of life |
|---------------|--|----------|---|--------------------------|--------------------|--------------------------------|---------|---------------------|--|-------------|------|----------------------------|--|---|
| | Total | Positive | Total test | Reaction with rapid test | (+) Confirmed test | ART | Treated | Received ARV | Referred to pediatric HIV/AIDS care unit | Mother | Baby | | | |
| Health Center | | | | | | | | | | | | | | |

*ARV: Anti-retro Viral: A drug against HIV (preventing mother-to-child transmission)

| 3. Home Delivery | Total | Referred to | Maternal death |
|---------------------------------|-------|-------------|----------------|
| By skilled birth attendants | | | |
| By traditional birth attendants | | | |

VI. BIRTHS

1. At Health Center

| Baby weight | < 2,500 g. | | ≥ 2,500 g. | | Live births* | | Total neonatal death | | Neonatal death < 24 h | | Still births | |
|-------------|------------|---|------------|---|--------------|---|----------------------|---|-----------------------|---|------------------|----------------------|
| | M | F | M | F | M | F | M | F | M | F | Fresh stillbirth | Macerated stillbirth |
| No. of Baby | | | | | | | | | | | | |

| Number of mothers with multiple live births | Twin | Triple | > 3 | Total |
|---|------|--------|-----|-------|
| | | | | |

* Live births do not include the number of stillbirths

1. At Community (Home)

| Baby weight | Not weight | < 2,500 g. | | ≥ 2,500 g. | | Live births* | | Total neonatal death | | Neonatal death < 24 h | | Still births | |
|-------------|------------|------------|---|------------|---|--------------|---|----------------------|---|-----------------------|------------------|----------------------|--|
| | M | F | M | F | M | F | M | F | M | F | Fresh stillbirth | Macerated stillbirth | |
| No. of Baby | | | | | | | | | | | | | |

| Number of mothers with multiple live births | Twin | Triple | > 3 | Total |
|---|------|--------|-----|-------|
| | | | | |

* Live births do not include the number of stillbirths

VII. POST-PARTUM CARE (PNC)

1. At Health Center

| First PNC | | Subsequent PNC | | | | | | Total PNC | | Referred from | |
|-----------|-------|----------------|-------|--------|-------|--------|-------|-----------|-------|---------------|-------|
| 1 | | 2 | | 3 | | 4 | | (1+2+3+4) | | | |
| Mother | Child | Mother | Child | Mother | Child | Mother | Child | Mother | Child | Mother | Child |
| | | | | | | | | | | | |

| Problems after delivery | | | | | | | | | Exclusive breast-feeding | Baby weight | | Referred to | |
|-------------------------|-----------|-----------|----------------|------------------|----------|---------|---------------------|--------------------|--------------------------|-------------|---------|-------------|-------|
| Mothers | | | | Children | | | | | | Weight gain | Problem | Mother | Child |
| Hemorrhage | Infection | Eclampsia | Other diseases | Unconscious baby | Jaundice | Seizure | Difficult breathing | Not breast-feeding | | | | | |
| | | | | | | | | | | | | | |

2. At community

| First PNC | | Subsequent PNC | | | | | | Total PNC | | Referred to | |
|-----------|-------|----------------|-------|--------|-------|--------|-------|-----------|-------|-------------|-------|
| 1 | | 2 | | 3 | | 4 | | (1+2+3+4) | | | |
| Mother | Child | Mother | Child | Mother | Child | Mother | Child | Mother | Child | Mother | Child |
| | | | | | | | | | | | |

| Problems after delivery | | | | | | | | | Exclusive breast-feeding | Baby weight | | Referred to | |
|-------------------------|-----------|-----------|----------------|------------------|----------|---------|---------------------|--------------------|--------------------------|-------------|---------|-------------|-------|
| Mothers | | | | Children | | | | | | Weight gain | Problem | Mother | Child |
| Hemorrhage | Infection | Eclampsia | Other diseases | Unconscious baby | Jaundice | Seizure | Difficult breathing | Not breast-feeding | | | | | |
| | | | | | | | | | | | | | |

VIII. FOLIC ACID AND IRON SUPPLEMENTATION

1. Pregnant women and post-partum mother

| Number of pregnant women received iron supplementation (Health Center and Community) | | Postpartum women received iron supplementation (42 tablets) (Health Center and Community) | Number of pregnant women received iron for treatment | Number of postpartum women received iron deficiency treatment |
|--|---------------------------|---|--|---|
| First visit (60 tablets) | Second visit (30 tablets) | | | |
| | | | | |

2. Women in reproductive age (15 - 49 years)

| |
|---|
| Number of women received "Rose" tablets |
| |

IX. INDUCED AND SPONTANEOUS ABORTION

| | Total | Referred from | Referred to |
|----------------------|-------|---------------|-------------|
| Induced abortion | | | |
| Spontaneous abortion | | | |

X. NUMBER OF MATERNAL DEATHS BEFORE DEVELIRY, POSTPARTUM, POST-ABORTION/MISCARRIAGE

| Perinatal hemorrhage | Eclampsia | Infection | Induced/Spontaneous abortion | Others | Total |
|----------------------|-----------|-----------|------------------------------|--------|-------|
| | | | | | |

XI. BREAST SELF-EXAMINATION AND EDUCATION

| | Educated | Findings/Problems detected | | Referred to |
|-----------------|----------|----------------------------|----------------|-------------|
| | | Breast tumor | Other problems | |
| Number of women | | | | |

XII. SCREENING FOR CERVICAL CANCER

| Number of clients | Visual Inspection with Acetic Acid (VIA) test | Findings/Problems detected | | Referred to |
|-------------------|---|----------------------------|------------------|-------------|
| | | VIA (+) | Suspected cancer | |
| < 30 years | | | | |
| 30 - 49 years | | | | |

Birth Spacing Section

XIII. BIRTH SPACING

1. At health center

| Birth Spacing client | Pills | | Injection (dose) | Condoms (unit) | IUD (unit) | Implant (Unit) | Vasectomy | Tubectomy | Total | | | Other consultations | |
|--------------------------------------|-------|-----|------------------|----------------|------------|----------------|-----------|-----------|-----------|-----------|-------|---------------------|-----|
| | COC | POP | | | | | | | < 20 Yrs. | ≥ 20 Yrs. | Total | Birth spacing | ECP |
| New acceptors | | | | | | | | | | | | | |
| New clients | | | | | | | | | | | | | |
| Total clients | | | | | | | | | | | | | |
| Contraceptives/Materials consumption | | | | | | | | | | | | | |
| Discontinue during the month | | | | | | | | | | | | | |
| Current users | | | | | | | | | | | | | |
| Post-partum immediate client | | | | | | | | | | | | | |

COC = Combined Oral Contraceptive

POP = Progesterone Only Pill

IUD = Intra-Uterus Device

ECP = Emergency Contraceptive Pill

2. At community

| At community | Pills | | Condom (Unit) | Total | | | Birth Spacing consultation |
|-------------------------------------|-------|-----|---------------|-----------|-----------|-------|----------------------------|
| | COC | POP | | < 20 Yrs. | ≥ 20 Yrs. | Total | |
| New acceptors | | | | | | | |
| New clients | | | | | | | |
| Total clients | | | | | | | |
| Contraceptives/Material consumption | | | | | | | |
| Discontinue during the month | | | | | | | |
| Current users | | | | | | | |

3. HIV/AIDS birth spacing clients

| HIV/AIDS clients | Pills | | Injection (dose) | Condoms (unit) | IUD (unit) | Implant (Unit) | Vasectomy | Tubectomy | Total | | | Other consultations | |
|--------------------------------------|-------|-----|------------------|----------------|------------|----------------|-----------|-----------|-----------|-----------|-------|---------------------|-----|
| | COC | POP | | | | | | | < 20 Yrs. | ≥ 20 Yrs. | Total | Birth spacing | ECP |
| New acceptors | | | | | | | | | | | | | |
| New clients | | | | | | | | | | | | | |
| Total clients | | | | | | | | | | | | | |
| Contraceptives/Materials consumption | | | | | | | | | | | | | |
| Discontinue during the month | | | | | | | | | | | | | |
| Current users | | | | | | | | | | | | | |

Immunization Program

XIV. NATIONAL IMMUNIZATION PROGRAM

1. Target Children of National Immunization Program

| | # Sessions planned | # Sessions conducted | # of children received BCG | # of children received Hep B at Birth | | | # of children received OPV1 | # of children received OPV2 | # of children received OPV3 | # of children received IPV from 14 weeks to 11 months (IPV = Inactivated Poliomyelitis Vaccine) | # of children received DPT-Hep B-Hib 1 (Hib = Haemophilus Influenza type b) | # of children protected at birth (Neonatal Tetanus) | # of children received DPT-Hep B-Hib 2 | # of children received DPT-Hep B-Hib 3 | # of children received PCV1 (PCV = Pneumococcal Conjugate Vaccine) | # of children received PCV2 | # of children received PCV3 | # of children received MR1 (From 9 to 11 months) (MR = Measles-Rubella) | # of children received JE (From 9 to 11 months) (JE = Japanese Encephalitis) | # of children received MR2 (from 18 to 23 months) | # of Children fully immunized | | | # of immunized children < 24 months received growth monitoring at same session | # of other children < 24 months received growth monitoring at same session | # of children aged 24-59 months received growth monitoring at same session | | |
|------------------|--------------------|----------------------|----------------------------|---------------------------------------|-------------------------|-------|-----------------------------|-----------------------------|-----------------------------|---|---|---|--|--|--|-----------------------------|-----------------------------|---|--|---|-------------------------------|--------|-------|--|--|--|--|--|
| | | | | < 24 Hours | From 24 Hours to 7 Days | Total | | | | | | | | | | | | | | | Male | Female | Total | | | | | |
| At Health Center | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| At community | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Campaign | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

2. Out of Target Children of National Immunization Program

| | # of children received OPV1 | # of children received OPV2 | # of children received OPV3 | # of children received IPV | # of children received DPT-HepB-Hib 1 | # of children received DPT-HepB-Hib 2 | # of children received DPT-HepB-Hib 3 | # of children received PCV1 | # of children received PCV2 | # of children received PCV3 | # of children received MR1 | # of children received JE |
|------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|
| At Health Center | | | | | | | | | | | | |
| At community | | | | | | | | | | | | |
| Campaign | | | | | | | | | | | | |
| Total | | | | | | | | | | | | |

3. HPV for girls aged 9 years old

| | HPV1 | HPV2 |
|------------------|------|------|
| At Health Center | | |
| At community | | |
| Campaign | | |
| Total | | |

HPV = Human Papilloma Virus

4. TT for Pregnant women

| | TT1 | TT2 | TT3 | TT4 | TT5 |
|------------------|-----|-----|-----|-----|-----|
| At Health Center | | | | | |
| At community | | | | | |
| Total | | | | | |

5. TT for non-pregnant women aged 15-44

| | TT1 | TT2 | TT3 | TT4 | TT5 |
|------------------|-----|-----|-----|-----|-----|
| At Health Center | | | | | |
| At community | | | | | |
| Total | | | | | |

XV. DEWORMING USING MEBENDAZOLE TABLETS

| Mebendazole Provided | Children 12 - 59 months | | | Children 5 yrs -14 yrs | | | Students 15 - 20 yrs | | | Pregnant women (4 - 9 months) | Women in reproductive age | Post-partum mother |
|---|-------------------------|---|-------|------------------------|---|-------|----------------------|---|-------|-------------------------------|---------------------------|--------------------|
| | M | F | Total | M | F | Total | M | F | Total | | | |
| At health centers | | | | | | | | | | | | |
| Outreach/Villages | | | | | | | | | | | | |
| Kindergartens/Primary Schools/Secondary Schools | | | | | | | | | | | | |
| Total | | | | | | | | | | | | |

XVI. VITAMIN A DISTRIBUTION

| Number of children received Vitamin A for prevention | | | | | | | | | Number of children received Vitamin A for treatment | | | | | | | | |
|--|--------|-------|------------------------------|--------|-------|-------|--------|-------|---|--------|-------|---------|--------|-------|---|--------|-------|
| Children aged 6 - 11 months | | | Children aged 12 - 59 months | | | Total | | | Xerophthalmia & Night-blindness | | | Measles | | | Malnutrition/Persistent diarrhea/Chronic diarrhea | | |
| Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| | | | | | | | | | | | | | | | | | |

Other National Programs

XVII. HIV/AIDS & STDs

1. Fingerprick Testing for HIV and Syphilis

| | 5-14 years | | 15-49 years | | ≥ 50 years | | Total | |
|--|------------|---|-------------|---|------------|---|-------|---|
| | M | F | M | F | M | F | M | F |
| 1.1. Number of Clients Received Pre-Test Counseling | | | | | | | | |
| General Population | | | | | | | | |
| Tuberculosis | | | | | | | | |
| Pregnant Women and Partner | | | | | | | | |
| Labor / Delivery and Husband/Partner | | | | | | | | |
| 1.2. Number of Client Tested for HIV | | | | | | | | |
| 1.2.1. Reactive HIV Result | | | | | | | | |
| General Population | | | | | | | | |
| Tuberculosis | | | | | | | | |
| Pregnant Women and Partner | | | | | | | | |
| Labor / Delivery and Husband/Partner | | | | | | | | |
| 1.2.2. Negative HIV Result | | | | | | | | |
| General Population | | | | | | | | |
| Tuberculosis | | | | | | | | |
| Pregnant Women and Partner | | | | | | | | |
| Labor / Delivery and Husband/Partner | | | | | | | | |
| 1.3. Number of Client Tested for Syphilis | | | | | | | | |
| 1.3.1. Reactive Syphilis Result | | | | | | | | |
| Pregnant Women | | | | | | | | |
| 1.3.2. Negative HIV Result | | | | | | | | |
| Pregnant Women | | | | | | | | |
| 1.4. Number of Client Received Post-Test Counseling | | | | | | | | |
| Received Post-Test Counseling | | | | | | | | |
| 1.5. Number of Client Referred to Confirmatory test | | | | | | | | |
| VCCT services | | | | | | | | |
| Family Health Clinics | | | | | | | | |

2. STI Report From Health Center (BASED ON SYNDROMIC APPROACH)

| | 5-14 years | | 15-49 years | | ≥ 50 years | | Total | |
|---|------------|---|-------------|---|------------|---|-------|---|
| | M | F | M | F | M | F | M | F |
| 2.1. Total Number of patient visited | | | | | | | | |
| Total number of Patients visit | | | | | | | | |
| Total number of visits for partners who were notified & treated | | | | | | | | |
| 2.2. Total Number of patients (New Case) | | | | | | | | |
| Urethral discharge | | | | | | | | |
| Vaginitis | | | | | | | | |
| Vaginitis + Cervicitis | | | | | | | | |
| Pelvic Inflammatory Disease (PID) | | | | | | | | |
| Genital ulcer | | | | | | | | |
| Genital warts | | | | | | | | |
| 2.3. Total Number of STI/RTI patients Referred to | | | | | | | | |
| VCCT Service | | | | | | | | |
| ANC Service | | | | | | | | |
| Family Planning (FP) Service | | | | | | | | |

XVIII. TUBERCULOSIS

1. TB case notification

| Case definition | Types of TB | | | | | | | | | | | | Total | | |
|-----------------|-------------|-----------------|-------------------|-----------------|-----------|-----------------|-----------|-----------------|-----------|-----------------|---------------------------|-----------------|-----------|-----------------|-------|
| | New case | | Re-treatment case | | | | | | | | Unknown treatment history | | | | |
| | | | Relapse | | Failure | | Defaulter | | Other | | | | | | |
| | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Pulmonary | Extra pulmonary | Total |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) |
| BK (+) | | | | | | | | | | | | | | | |
| BK (-)/Clinic | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | |

2. Types of DOTS

| Total TB patients notified for treatment | Types of DOTS | | | | | Total |
|--|-------------------|-----------------|-----------|----------------|----------|-------|
| | Hospitalized DOTS | Ambulatory DOTS | Home DOTS | Community DOTS | Non-DOTS | |
| | | | | | | |

XIX. LEPROSY

| | Treatment at the beginning of the month | New cases detected during the month | | | | | Completed treatment during the month | Relapse/Defaulter/Death/Movement | Under Treatment during the month |
|-------|---|-------------------------------------|---|----------|----------|------------|--------------------------------------|----------------------------------|----------------------------------|
| | | M | F | Total | Dis. Gr2 | < 15 Years | | | |
| PB1 | | | | | | | | | |
| PB2-5 | | | | | | | | | |
| MB | | | | | | | | | |
| Total | | | | | | | | | |
| Rate | | | | /100,000 | % | % | | | /10,000 |

PB1 = Single Lesion Paucibacillary

MB = Multibacillary

PB2-5 = Paucibacillary

Dis. Gr2 = Disability Grade 2

XX. DENTAL

| # of patient | Add teeth (Prothetic) | | Extraction | | Restoration (Filling) | | | | Root canal treatment | Scaling | Cleaning | Dental sealants/teeth coated with fluoride | Others | Referred to |
|-----------------|-----------------------|-----------|---------------|-----------------|----------------------------|----------------|-----------|--------|----------------------|---------|----------|--|--------|-------------|
| | Permanent | Removable | Primary teeth | Permanent teeth | Glass Ionomer Cement (GIC) | Amal (Amalgam) | Composite | Others | | | | | | |
| Aged <15 years | | | | | | | | | | | | | | |
| Aged ≥ 15 years | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | |

